

Note: Matching parts should be rounded, smooth, and with no sharp edges or burrs.

Dyneema loops are coated with an UV coating, recoat when worn for long life. It is recommended that loops should be replaced when worn.

**All data approx and subject to change without notice.**

**Other sizes available on special order.**

**Unspecified dims. mm.**

**Break load approx. 2 x MWL.**

### Non Swivelling Connector

VMAL: Velcro NS	Matching part
VMAL 12 NS	26-12 NS
VMAL 10 NS	18-10 NS
VMAL 8 NS	16-8 NS
VMAL 7 NS	14-7 NS
VMAL 6 NS	12-6 NS
VMAL 5 NS	10-5 NS
VMAL 4 NS	8-4 NS
VMAL 3 NS	5-3 NS

LMAL: Loop NS	Matching part
LMAL 10 NS	18-10 NS
LMAL 8 NS	16-8 NS
LMAL 7 NS	14-7 NS
LMAL 6 NS	12-6 NS
LMAL 5 NS	10-5 NS
LMAL 4 NS	8-4 NS
LMAL 3 NS	5-3 NS

**Swivelling Connector**

<b>VSMAL: Velcro Swivel</b>	<b>Matching part</b>
VSMAL 12	22-12 S-SL
VSMAL 12	20-12 S-SL
VSMAL 10	18-10 S-SL
VSMAL 8	14-08 S-SL
VSMAL 6	12-06 S-SL
VSMAL 5	10-05 S-SL
VSMAL 4	8-04 S-SL
VSMAL 3	6-03 S-SL

<b>LSMAL: Loop Swivel</b>	<b>Matching part</b>
LSMAL 12	22-12 S-SL
LSMAL 12	20-12 S-SL
LSMAL 10	20-10 S-SL
LSMAL 10	18-10 S-SL
LSMAL 8	14-08 S-SL
LSMAL 6	12-06 S-SL
LSMAL 5	10-05 S-SL
LSMAL 4	8-04 S-SL
LSMAL 3	6-03 S-SL

**Blocks**

<b>VBMAL: Velcro Block</b>	<b>Matching part (LL-HL)</b>
VBMAL 12	35-95-12 HB/SB
VBMAL 10	25-78-10 HB/SB
VBMAL 8	20-65-8 HB/SB
VBMAL 6	16-46-6 HB/SB
VBMAL 5	14-40-5 HB/SB
VBMAL 4	12-30-4 HB/SB

<b>LBMAL: Loop Block</b>	<b>Matching part (LL-HL)</b>
LBMAL 12	35-95-12 HB/SB
LBMAL 10	25-78-10 HB/SB
LBMAL 8	20-65-8 HB/SB
LBMAL 6	16-46-6 HB/SB
LBMAL 5	14-40-5 HB/SB
LBMAL 4	12-30-4 HB/SB