

THE IN-FOCKER

The specially designed In-Focker is to trim the jib, genoa or staysail on yachts with large lines from 32 up to 38 mm. Normally the use is made of a large and expensive snatchblock on the infock position.



WHY THE NEED OF A IN-FOCKER?

Now with the specially designed In-Focker there is no longer the need for a large snatchblock on the infock position. We ensure saving weight and money while improving on the handeling. The use of the In-Focker is plug-and-play, because of the soft-loop technology.

USED ON:

Jib Genoa Staysail

Nituff[®]

IN-FOCKER

THE BODY OF THE IN-FOCKER

The body of the In-Focker has the same shape as a Equiplite snatchblock sheave. It fits the sheet perfectly that results in high stability. Without the use of moving parts and the use of lightweight aluminum parts with special Nituff surface, it is completely maintenance-free, but retains the low friction.

Nituff is a new surface treatment that enhances the properties of a hard anodize coating. This proprietary process penetrates PTFE (Teflon) into a precision hard anodize coating to achieve a self-curing, self-lubricating surface with low friction, high corrosion resistance, and dielectric properties superior to ordinary hard anodize.



MEASUREMENT SHEET



Part	line Ø	Ø*	W	Ld	Wt (g)	MWL (kg)
40-12 IF	32 ~ 38	35	85	33	500	12000

Dimensions in mm, unless otherwise specified. All data is approximate and subject to change without notice. Breakload approx 2x maximum workload.

CopyrightEquiplite EuropeLeerlooiersstraat 622-2016 by:ScompaniesThe Netherlands All content is copyright 2002-2016 by: Sailingperfection Group of Companies

All images are copyright by: Sailingperfection Group of Companies except where mentioned. T: +31 (0)515 41 76 34 W: www.equiplite.eu E: info@equiplite.eu